

Department of Anesthesia

Title: Policy Number:

Emergency Drugs 9114

Issued: Page(s):

July 24, 2002

Last Revised: Attachment:

May 15, 2015

POLICY:

In order to eliminate confusion in emergency circumstances, emergency drugs should be drawn up according to the Departmental protocols in effect at the time.

PROCEDURE:

Drugs to be drawn up and labeled for an adult case are:

| Drug | Packaged | Total Volume | Final Clinical |
|------------------|----------------|--------------|----------------|
| | Concentration | Total volume | Concentration |
| Succinyl Choline | 20 mg/ml 10 ml | | 20 mg/ml |
| Ephedriine | 10 mg/ml | 5 ml | 10 mg/ml |
| Phenylephrine | 1 mg/10 ml | 10 ml | 0.1 mg/ml |
| | | | (100mcg/ml) |
| Atropine | 0.4 mg/ml | 3.0 ml | 0.4 mg/ml |

For pediatric cases, the following should always be on hand:

| Drug | Packaged Concentration | Mixture | | Syringe |
|------------------|---------------------------|-----------|-------------|---------|
| Succinyl Choline | 20 mg/ml | 2 ml | 0 1: 1 | |
| | | Undiluted | Combined | 3 ml |
| Atropine | 0.4 mg/ml | 1 ml | Volume 3 ml | 3 1111 |
| | | Undiluted | | |

Russell T. Wall, MD Chief of Service, Anesthesia

